EHF- 0 , SXOHB@K ENQV@QC BTQQDMS CDQ@SHMF BTQUD



EHF- 2 , L@WHLTL MNM,QDODSHSHUD ENQV@QC RTQFD BTQQDMS



EHF- 3 , SXOHB@K QDUDQRD BG@Q@BSDQHRSHBR



EHF- 1 , SXOHB@K HMRS@MS@MDNTR ENQV@QC BG@Q@BSDQHRSHBR



ODQBDMS NE Q@SDC OD@J QDUDQRD UNKS@FD+ '$(

EHF-5, SDRS BHQBTHS CH@FQ@L @MC QDUDQRD QDBNUDQX SHLD BG@Q@BSDQHRSHBR



MNSDR? 0- Qhrd Shld< 6mr l `w-+Hmots H lodc`mbd< 0 ldfng l -11oE-
1- Qhrd Shld< 0/mr l `w-+ Rntqbd H lodc`mbd< 4/ ng l r-



4g)	50pcs/tube	1000PCS/Box 5000PCS/Carton

A	4.50	4.90	0.177	0.193
A1	2.34	2.74	0.092	0.108
A2	2.66	2.86	0.105	0.113
b	0.75	0.85	0.030	0.033
b1	1.24	1.44	0.049	0.057
c	0.40	0.60	0.016	0.024
D	10.00	10.310	"O	1

The information presented in this document is for reference only. GuangDong Youfeng Microelectronics Co.,Ltd. reserves the right to make changes without notice for the specification of the products displayed herein to improve reliability, function or design or otherwise. The product listed herein is designed to be used with ordinary electronic equipment or devices, and not designed to be used with equipment or devices which require high level of reliability and the malfunction of with would directly endanger human life (such as medical instruments, transportation equipment, aerospace machinery, nuclear-reactor controllers, fuel controllers and

her/ erv t ste