

DO-214AA/SMB

DO-214AA/

S5AB	**YFW S5A**
S5BB	**YFW S5B**
S5DB	**YFW S5D**
S5GB	**YFW S5G**
S5JB	**YFW S5J**
S5KB	**YFW S5K**
S5MB	**YFW S5M**

S5BB

S5AB S5BB S5DB S5GB S5JB S5KB S5MB

Fig.1 Forward Current Derating Curve




Fig.2 Typical Instaneous Reverse Characteristics





Fig.4 Typical Junction Capacitance



Marking Diagram

Ordering information

Package	Packing Description	Packing Quantity
DO-214AA SMB	!"#!!$%&'()!!$*	'+++,-."#!!$*'++++,-."-)/01*

Package Dimensions

DO-214AA SMB

* * *	Dim.	Millimeter(mm)		mil
		Min.*	M	

The information presented in this document is for reference only. GuangDong Youfeng Microelectronics Co.,Ltd. reserves the right to make changes without notice for the specification of the products displayed herein to improve reliability, function or design or otherwise. The product listed herein is designed to be used with ordinary electronic equipment or devices, and not designed to be used with equipment or devices which require high level of reliability and the malfunction of with would directly endanger human life (such as medical instruments, transportation equipment, aerospace machinery, nuclear-reactor controllers, fuel ot end ioh